What is claimed is:

- 1. A text messaging system made up of a plurality of
- 2 information terminals provided with communications means,
- 3 and servers connected to the information terminals via
- 4 communications lines responsive to the communications means,
- 5 the text messaging system comprising:
- transmission means provided in the information
- 7 terminals for transmitting to the servers text messages
- 8 addressed to other of the information terminals;
- 9 reception means provided in the information terminals
- 10 for receiving from the servers text messages from other of
- 11 the information terminals;
- 12 status detection means provided in the information
- 13 terminals for detecting and reporting to the servers
- 14 operational status including at least status of connection
- 15 with the communications lines;
- reception means provided in the servers for receiving
- 17 text messages from the information terminals;
- transmission means provided in the servers for
- 19 transmitting text messages received from ones of the
- 20 information terminals to others of the information
- 21 terminals;
- 22 status administration means provided in the servers for
- 23 holding per user information-terminal operational status

- 1 reported from said status detection means; and
- decision means provided in the servers for deciding
- 3 transmission modes for the text messages according to the
- 4 information terminal operational status.
- A text messaging system made up of at least one
- 2 mobile terminal and at least one information terminal
- 3 respectively provided with communication means, and at least
- 4 one server connected to the at least one mobile terminal and
- 5 to the at least one information terminal via at least one
- 6 communications line responsive to the communications means,
- 7 the text messaging system comprising:
- transmission means provided in the at least one
- 9 information terminal for transmitting to the at least one
- 10 server text messages addressed to the at least one mobile
- 11 terminal, or to at least one other information terminal
- wherein the system includes a plurality thereof;
- 13 reception means provided in the at least one
- 14 information terminal for receiving from the at least one
- 15 server text messages from the at least one mobile terminal,
- or from at least one other information terminal wherein the
- 17 system includes a plurality thereof;
- status detection means provided in the at least one
- information terminal for detecting and reporting to the at
- 20 least one server operational status including at least
- 21 status of connection with the at least one communications

- 22 line;
- reception means provided in the at least one server for
- 24 receiving text messages from the at least one mobile
- 25 terminal or the at least one information terminal;
- transmission means provided in the at least one server
- 27 for transmitting to the at least one information terminal
- 28 text messages received from the at least one mobile
- 29 terminal, and transmitting to the at least one mobile
- 30 terminal text messages received from the at least one
- 31 information terminal, or transmitting text messages received
- 32 from the at least one mobile terminal or the at least one
- 33 information terminal to at least one other mobile terminal
- 34 or to at least one other information terminal wherein the
- 35 system includes a plurality of either;
- status administration means provided in the at least
- 37 one server for holding per user information-terminal
- 38 operational status reported from said status detection
- means; and
- decision means provided in the at least one server for
- 41 deciding transmission modes for the text messages according
- 42 to the information terminal operational status.
- 3. A text messaging system according to claim 2,
- 2 wherein:
- 3 said status detection means further detects and reports
- 4 to the at least one server whether the at least one

- 5 information terminal is being used; and
- said decision means if the at least one information
- 7 terminal is being used decides the at least one information
- 8 terminal to be a transmission destination for text messages.
- 1 4. A text messaging system according to claim 2, the at
- 2 least one information terminal further being provided with
- 3 service detection means for detecting and for reporting to
- 4 the at least one server network-application operational
- 5 status in the at least one information terminal: wherein:
- 6 said status administration means holds the reported
- 7 network-application operational status; and
- said decision means, wherein the network application is
- 9 operable on the at least one server, decides to transmit
- 10 text messages using the network application if the network
- 11 application is running on the at least one information
- 12 terminal.
- 5. A text messaging system according to claim 2,
- 2 wherein said transmission means is enabled to notify the at
- 3 least one server that a text message has been read, further
- 4 comprising:
- 5 reporting administration means provided in the at least
- 6 one server for saving text messages transmitted to the at
- 7 least one information terminal, and, wherein not notified to
- 8 the effect that a text message has been read, for forwarding
- 9 the text message to the at least one mobile terminal.

- 6. A text messaging system according to claim 5,
- 2 wherein said reporting administration means forwards to the
- 3 at least one mobile terminal text messages transmitted to
- 4 the at least one information terminal in response to change
- 5 in operational status of the at least one information
- 6 terminal.
- 7. A text messaging system according to claim 5,
- 2 wherein if a text message transmitted to the at least one
- 3 information terminal is not read within a predetermined time
- 4 period, said reporting administration means forwards the
- 5 text message to the at least one mobile terminal.
- 8. A text messaging system according to claim 5,
- 2 wherein said reporting administration means in predetermined
- 3 instances reports to text message send sources that their
- 4 text messages have been sent to the at least one mobile
- 5 terminal.
- 9. A text messaging system according to claim 5,
- 2 wherein if said reporting administration means cannot send a
- 3 text message to the at least one mobile terminal, said
- 4 reporting administration means stores the text message and
- 5 reports to the text message send source that its text
- 6 message has been stored.
- 1 10. A text messaging system according to claim 2,
- 2 wherein:
- 3 said status detection means reports to the at least one

- 4 server text message senders' contact phone numbers;
- said status administration means holds the reported
- 6 phone numbers; and
- 7 wherein a text message is sent from the at least one
- 8 information terminal to the at least one mobile terminal, if
- 9 the senders' contact phone number has been set, said
- 10 decision means adds the phone number to and transmits the
- 11 text message.
- 1 11. A text messaging system according to claim 2,
- 2 further comprising a proxy information terminal connected to
- the at least one communications line, wherein said proxy
- 4 information terminal is provided with:
- reception means for receiving from the at least one
- 6 server text messages from the at least one mobile terminal;
- 7 information acquisition means for obtaining in
- 8 accordance with the received text messages operational
- 9 status of at least one other information terminal wherein
- 10 the system includes a plurality thereof;
- transmission means for transmitting the obtained
- 12 operational status as a text message to the at least one
- 13 mobile terminal; and
- information setting means for setting and reporting to
- 15 the at least one server operational status of the at least
- 16 one other information terminal in accordance with the
- 17 received text messages.

- 12. A text messaging system made up of at least one
- 2 mobile terminal and at least one information terminal
- 3 respectively provided with communication means, a first
- 4 server connected to the at least one information terminal
- 5 via at least one communications line responsive to the
- 6 communications means, and a second server connected to the
- 7 at least one mobile terminal and to the at least one
- 8 information terminal via the at least one communications
- 9 line, the text messaging system comprising:
- transmission means provided in the at least one
- information terminal for transmitting to the second server
- 12 text messages addressed to the at least one mobile terminal,
- 13 or to at least one other information terminal wherein the
- 14 system includes a plurality thereof;
- reception means provided in the at least one
- 16 information terminal for receiving from the second server
- 17 text messages from the at least one mobile terminal, or from
- 18 at least one other information terminal wherein the system
- 19 includes a plurality thereof;
- 20 status detection means provided in the at least one
- 21 information terminal for detecting and reporting to the
- 22 first server operational status including at least status of
- 23 connection with the at least one communications line;
- 24 status administration means provided in the first
- 25 server for gathering and holding per user information-

- 26 terminal operational status from the at least one
- 27 information terminal;
- reception means provided in the second server for
- 29 receiving text messages from the at least one mobile
- 30 terminal or the at least one information terminal;
- 31 transmission means provided in the second server for
- 32 transmitting text messages received from the at least one
- 33 mobile terminal or the at least one information terminal to
- 34 at least one other mobile terminal or to at least one other
- 35 information terminal wherein the system includes a plurality
- 36 of either; and
- decision means provided in the second server for
- 38 obtaining from the first server operational status of the at
- 39 least one information terminal for deciding text message
- 40 transmission mode according to the obtained operational
- 41 status.
 - 1 13. A text messaging system according to claim 12, the
 - 2 at least one information terminal is enabled to notify the
 - 3 second server that a text message has been read, further
 - 4 comprising:
 - 5 reporting administration means provided in the second
 - 6 server for saving text messages transmitted to the at least
 - 7 one information terminal, and, wherein not notified to the
 - 8 effect that a text message has been read, for forwarding the
 - 9 text message to the at least one information terminal.

- 1 14. In an information terminal provided with
- 2 communication means for transmitting and receiving text
- 3 messages among mobile terminals or other information
- 4 terminals via communication lines and servers responsive to
- 5 said communication means, a text messaging device
- 6 comprising:
- 7 transmission means for transmitting to the servers text
- 8 messages addressed to the mobile terminals or to the other
- 9 information terminals;
- reception means for receiving from the servers text
- 11 messages from the mobile terminals or from the other
- 12 information terminals; and
- status detection means for detecting and reporting to
- 14 the servers operational status including at least status of
- 15 connection with the communications lines.
- 1 15. A text-messaging server connected to at least one
- 2 mobile terminal and at least one information terminal
- 3 respectively provided with communication means, via at least
- 4 one communications line responsive to the communications
- 5 means, the server comprising:
- 6 reception means for receiving text messages from the at
- 7 least one mobile terminal or the at least one information
- 8 terminal;
- 9 transmission means for transmitting text messages
- 10 received from the at least one mobile terminal or the at

- 11 least one information terminal to at least one other mobile
- 12 terminal or to at least one other information terminal
- wherein the server is connected to a plurality of either;
- status administration means for receiving and holding
- 15 per user operational status from the at least one
- 16 information terminal; and
- decision means for deciding transmission modes for the
- 18 text messages according to the information terminal
- 19 operational status.
- 1 16. A computer-readable recording medium on which is
- 2 recorded a text messaging program utilized in an information
- 3 terminal provided with communication means for transmitting
- 4 and receiving text messages among mobile terminals or other
- 5 information terminals via communication lines and servers
- 6 responsive to said communication means, the computer-
- 7 readable recording medium on which is recorded the text
- 8 messaging program for executing:
- A: a transmission step for transmitting to the servers
- 10 text messages addressed to the mobile terminals or to the
- 11 other information terminals;
- 12 B: a reception step for receiving from the servers text
- 13 messages from the mobile terminals or from the other
- 14 information terminals; and
- 15 C: a status detection step for detecting and reporting
- 16 to the servers operational status including at least status

- 17 of connection with the communications lines.
- 1 17. A computer-readable recording medium on which is
- 2 stored a text messaging administration program utilized in a
- 3 server connected to at least one mobile terminal and at
- 4 least one information terminal respectively provided with
- 5 communication means, via at least one communications line
- 6 responsive to the communications means, the computer-
- 7 readable recording medium on which is recorded the text
- 8 messaging administration program for executing:
- A: reception step for receiving text messages from the
- 10 at least one mobile terminal or the at least one information
- 11 terminal;
- B: a transmission step for transmitting received text
- 13 messages to at least one other mobile terminal or to at
- 14 least one other information terminal wherein the system
- 15 includes a plurality of either;
- 16 C: a status administration step for obtaining and
- 17 holding per user operational status of the at least one
- 18 information terminal; and
- D: a decision step for deciding text message
- 20 transmission mode according to the operational status of the
- 21 at least one information terminal.
- 1 18. A text messaging method utilized in a server
- 2 connected to at least one mobile terminal and at least one
- 3 information terminal respectively provided with

- 4 communication means, via at least one communications line
- 5 responsive to the communications means, the text messaging
- 6 method:
- 7 transmitting and receiving text messages by way of the
- 8 server between the at least one mobile terminal and the at
- 9 least one information terminal, or between the at least one
- 10 mobile terminal and the at least one other mobile terminal
- 11 wherein the system includes a plurality thereof, or between
- 12 the at least one information terminal and at least one other
- information terminal wherein the system includes a plurality
- 14 thereof;
- detecting and reporting to the server operational
- 16 status of the at least one information terminal including at
- 17 least status of connection with the at least one
- 18 communications line;
- holding per user in the server the operational status
- 20 of the at least one information terminal; and
- by means of the server deciding transmission mode for
- 22 the text messages according to the operational status of the
- 23 at least one information terminal.
- 1 19. A text message transmission and reception method
- 2 utilized in an information terminal provided with
- 3 communication means for transmitting and receiving text
- 4 messages among mobile terminals or other information
- 5 terminals via communication lines and servers responsive to

- 6 said communication means, the text message transmission and
- 7 reception method:
- 8 transmitting to the servers text messages addressed to
- 9 the mobile terminals or to the other information terminals;
- 10 receiving from the servers text messages from the
- 11 mobile terminals or from the other information terminals;
- 12 and
- detecting and reporting to the servers operational
- 14 status including at least status of connection with the
- 15 communications lines.
- 20. A text-messaging administration method for a server
- 2 connected to at least one mobile terminal and at least one
- 3 information terminal respectively provided with
- 4 communication means, via at least one communications line
- 5 responsive to the communications means, the text-messaging
- 6 administration method:
- 7 receiving from the at least one mobile terminal or the
- 8 at least one information terminal text messages addressed to
- 9 the other at least one mobile terminal or at least one
- 10 information terminal, or addressed to at least one other
- 11 mobile terminal or to at least one other information
- 12 terminal wherein the system includes a plurality of either;
- 13 transmitting the received text messages to the other at
- 14 least one mobile terminal or at least one information
- 15 terminal, or addressed to at least one other mobile terminal

- or to at least one other information terminal wherein the
- 17 system includes a plurality of either;
- gathering and holding per user operational status of
- 19 the at least one information terminal including at least
- 20 status of connection with the at least one communications
- 21 line; and
- deciding transmission mode for the text messages
- 23 according to the operational status of the at least one
- 24 information terminal.